x 858 678 5099

FISH AND RICHARDSON

Attorney's Docket No.: 0554245100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Boguslaw Swedek et al.

Art Unit: 3723

DRAFT

Serial No.: 09/847,867 Filed

: May 2, 2001

Examiner: Alvin Grant

Confirmation No.: 5820

Title

: INTEGRATED ENDPOINT DETECTION SYSTEM WITH OPTICAL AND

EDDY CURRENT MONITORING

MAIL STOP AF

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT IN REPLY TO ACTION OF OCTOBER 21, 2003

Please amend the above-identified application as follows:

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being
deposited with the United States Postal Service as first class mail with
sufficient postage on the date indicated below and is addressed to the
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Typed or Printed Name of Person Signing Certificate

FISH & RICHARDSON P.C.

12390 EL CAMINO REAL San Diego, California 92130

Telephone 858 678-5070

Facsimile 858 678-5099

Web Site www.fr.com

December 15, 2003 Date

Examiner Alvin J. Grant Telephone: (703) 305-3315

05542-45100001 / (703) 746-7482, (703) 872-9306 Facsimile number

From Linda G. Gunderson

Your Rcf.: 09/847,867 Our Ref.: 05542-451001

Re 5252/CMP - Optical + Eddy Current

Number of pages including this page

10

Dear Examiner Grant, Message

> Here's a draft response to the final office action. My basic point is that the functional limitations need to be considered-

> I should be around pretty much all day on Tuesday if you'd like to either discuss then or set up a time in the near future to discuss.

Thanks, my direct phone number is (858) 678-4311.

Linda

RECEIVED CENTRAL FAX CENTER

DEC 1 5 2003

Unofficial

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential informati n. If you have receiv d this facsimile in error, please immediately call us collect at 858 678-5070 to arrange for its return. Thank you.